

Performance Evaluation of a Schottky SiC Power Diode in a Boost PFC Application

G. Spiazzi, S. Buso, M. Citron, M. Corradin, R. Pierobon

Department of Electronics and Informatics - University of Padova

Via Gradenigo 6/a, 35131 Padova - ITALY

Phone: +39-049-827.7525 Fax: +39-049-827.7599/7699

E-mail: simone.buso@dei.unipd.it

Abstract. The performance of a 600 V, 4 A silicon carbide (SiC) Schottky diode (Infineon SDP04S60) is experimentally evaluated. A 300 W boost power factor corrector with average current mode control (PFC) is considered as a key application. Measurements of overall efficiency, switch and diode losses and conducted electromagnetic interference (EMI) are performed both with the SiC diode and with two ultra-fast, soft-recovery, silicon power diodes, namely the RURD460 and the recently presented STTH5R06D. The paper compares the results to quantify the impact of the recovery current reduction provided by SiC diode on these key aspects of the converter behavior.

I. INTRODUCTION

The first Silicon Carbide (SiC) power diodes have only recently become commercially available [1]. It is well known that the fundamental properties of this semiconductor material, such as its very high electrical breakdown field and its very high thermal conductivity, make it particularly suited to the manufacturing of power devices. However, due to technological limitations mainly related to the high defect density typical of the SiC crystal growing process and to the reduced size of the achievable wafers, SiC based power devices have been considered just a scientific curiosity for quite a long time. Even if demonstration devices have been presented in the literature now and then [2], it is only a short time that SiC based Schottky power diodes are available on the market. The commercial availability of these devices has immediately generated an understandable interest in power electronics designers and some applications have already been described in the literature ([3 - 6]). Given the device main features, such as the virtual absence of recovery current and the stability of its performance with increasing operating temperature, it becomes interesting to quantitatively evaluate possible advantages of its adoption in typical applications, especially in terms of efficiency improvement and EMI reduction. It is worth noting that the forward voltage drop of these diodes at relatively large currents is known to be significantly larger than that of silicon diodes, which makes the efficiency improvement issue worth investigating. The same can be said for the EMI aspect where the absence of the recovery current peak may have an

appreciable effect. This paper discusses the results of the comparative evaluation of a 4 A, 600 V SiC Schottky diode (Infineon SDP04S60) and of two ultra fast soft-recovery diodes (RURD460 and STTH5R06D) with the same ratings. The key application for this type of rectifiers is the boost power factor corrector (PFC). We developed a 300 W, universal input range boost PFC and evaluated its performance with the different diodes, measuring overall efficiency, switch and diode losses, and conducted EMI noise.

II. CONVERTER DESCRIPTION

Fig. 1 shows the basic scheme of the considered Boost PFC. The ratings of the converter are reported in Table I. These represent the typical characteristics of a PFC designed for a large variety of applications (e.g. telecom

TABLE I
CONVERTER RATINGS

Input voltage (RMS)	90-260 V
Output power	300 W
Output voltage	380 V
Switching frequency	70 kHz

applications). A conventional and simple design procedure can be adopted to derive the necessary passive component values, required to guarantee the continuous conduction mode of operation for the converter during the whole line period and a suitable output voltage ripple. Also the




Fig. 1 - Basic scheme of the Boost PFC.






Fig. 2 - Measured forward and reverse characteristics for the considered diodes.


selection of the required switch and diode is almost straightforward, given the current and voltage stresses. We then developed a simple two-layer printed circuit board (PCB) for the boost converter and tested on it three different diodes: the SDP04S60 SiC Schottky diode by Infineon, the widely used and well known RURD460 and the STTH5R06D diode by ST Microelectronics, a 5 A, 600 V, low reverse recovery device, specifically designed as a switching power supply free-wheeling diode. It is worth underlining that the PCB layout was developed with great care, so as to minimize the generation of EMI [7]. Measurements of overall converter efficiency, switch and diode losses and conducted EMI have been done and are discussed in the following sections.

III. DIODE CHARACTERIZATION


The diodes have been initially characterized to compare their basic parameters, namely the forward voltage drop, the breakdown behavior and the reverse recovery current. As can be seen in Fig. 2, the dc forward voltage drop of the SDP04S60 SiC diode is considerably higher than that of the RURD460 diode. The highest measured voltage drop is anyway that of the STTH5R06D diode. It is worth noting that all the results are in good agreement with the manufacturer data sheets. Fig. 2 also shows that the SiC diode behaves quite differently from both the Si diodes in reverse bias conditions, exhibiting an earlier breakdown



a)




b)




c)

Fig. 3 - Reverse recovery behavior of the RURD460 diode (a), of the SDP04S60 diode (b) and of the STTH5R06D diode, measured at 400 V reverse voltage and 10 A forward current (5A/div). Timebase is 20 ns/div.


current rise. Anyway, in all cases the reverse leakage currents are well below the data sheets typical values. Fig. 3, instead, shows the recovery behavior of the three diodes for different case temperatures, namely 24 °C and 85 °C. While the effect of temperature variation is invisible in the case of the SDP04S60 diode, the RURD460 diode shows a peak recovery current increase of about 17%. Correspondingly,



a)



b)



c)

Fig. 4 - Effect of diode recovery current (2A/div) on the switch turn-on for the SDP04S60 (SiC) diode (a), the STTH5R06D diode (b) and the RURD460 diode (c)

Voltage scale is 100 V/div. Timebase is 1 μ s/div.

its reverse recovery charge Q_{rr} increases of more than 50%. It is also possible to note the soft-recovery behavior of this diode, which requires about 60 ns (at room temperature) to get the current to zero. An intermediate behavior is shown by the STTH5R06D diode, whose peak recovery current is 50% smaller than the RURD460 diode's and similar to that of a low voltage Si Schottky diode. The temperature

increase anyway, modifies its reverse recovery process which tends to become rather snappy and to induce oscillations (not visible at room temperature). This effect is also documented in [1]. Being a Schottky diode, the SDP04S60 device presents instead an almost negligible recovery current, mainly determined by its junction capacitance. From this standpoint its performance can be considered excellent. It is worth noting that we tested all diodes at a 400 V reverse voltage and 10 A forward current, imposing a di/dt always above 300 A/ μ s. These are quite demanding operating conditions, which explains the relevant peak recovery current of the RURD460 diode.

Based on these measurements, it is possible to expect the power losses on the SiC and on the STTH5R06D diodes to be predominantly conduction losses. Besides, the conduction losses of the RURD460 diode can be expected to be considerably lower than those of the other diodes, because of the difference in the forward voltage drop. On the other hand, the RURD460 diode is expected to have considerably higher switching losses, because of its slower commutation time. It is also expected to cause higher switching losses on the converter switch at turn-on, increasing the current level and the duration of the transition. The impact of these phenomena on the overall efficiency of the converter is examined in the following section.

TABLE II
EFFICIENCY MEASUREMENT AT 220 V_{RMS}


	RURD460	STTH5R06D	SDP04S60
Input power [W]	312	311	311
Output power [W]	298	300	300
Efficiency	0.955	0.964	0.97
MOS losses [W]	5.1	3.4	3.0
Diode losses [W]	2.2	1.4	1.4

TABLE III
EFFICIENCY MEASUREMENT AT 110 V_{RMS}


	RURD460	STTH5R06D	SDP04S60
Input power [W]	314	323	320
Output power [W]	285	298	297
Efficiency	0.91	0.92	0.93
MOS losses [W]	13.2	8.2	7.8
Diode losses [W]	2.5	2.0	1.8

IV. EFFICIENCY MEASUREMENT

The considered diodes were all tested in the developed boost PFC board. We initially evaluated the effect of the diode recovery current on the switch current at turn-on. As can be seen in Fig. 4, in our application, the current peak at the moment of switch turn-on is considerably reduced by the use of the SDP04S60 diode (Fig. 4a) with respect to both the STTH5R06D diode (Fig. 4b) and the RURD460 diode (Fig. 4c). As shown in the following, this reduces the commutation losses of the switch and also leads to a significant reduction of the generated common mode EMI. The results of the efficiency measurements are given in



a)



b)

Fig. 5 - Conducted EMI measurement at 220 V input voltage. a) 150 kHz - 1 MHz range. b) 1 MHz - 30 MHz range.

Table II and Table III for 220 V and 110 V RMS input voltage respectively. As can be seen, the power losses on switch and diode were also estimated, by means of temperature measurements. The results confirm that the revealed efficiency improvement is tightly related to the reduction of the power losses on the MOSFET (IRFP450). The effect is even more evident when the 110 V input voltage is considered. It can be also noted that, in the case of the RURD460 diode at 110 V input voltage, the power losses on the switch reach a quite high absolute value, requiring a considerably bigger heatsink with respect to the other cases. An unexpected effect we found is the decrease in the output power measured in these conditions, which is possibly due to noise effects on the control integrated circuit, caused by the floating MOSFET heatsink. It is worth noting that, in fact, we observed a normal converter behavior when the heatsinks were all connected to ground. Another important point to be considered is that the reduction of the switching losses on the power MOSFET could allow a significant increase of the converter's switching frequency. While for the RURD460 diode the selected frequency (70 kHz) is close to the limit, the SDP04S60 and STTH5R06D diode could allow a significant

increase of this parameter. As shown in [1], from this standpoint SiC diodes can greatly improve the converter power density.

V. CONDUCTED EMI MEASUREMENTS

The conducted EMI generated by the PFC board was measured for the three diodes. It is worth noting that no EMI filter was employed to reduce the noise injected into the line, to more clearly reveal the impact of the diode choice. Results are shown in Fig. 5. As can be seen, the low frequency part of the considered spectrum (150 kHz - 1 MHz) is almost unaffected by the diode substitution (Fig. 5a). This can be explained considering the differential mode nature of the measured noise. This is characterized by well defined peaks at the harmonic frequencies of the modulation frequency. It is then related to the residual current ripple, which is not affected by the turn-off behavior of the diode. On the other hand, the high frequency part of the spectrum (1 MHz - 30 MHz), which is mainly related to common mode noise is affected by the diode behavior (Fig. 5b). In particular, the SDP04S60 diode guarantees a certain reduction of the injected noise with

respect to both the STTH5R06D diode and the RURD460 diode. The latter is the one exhibiting the poorest performance.

V. CONCLUSIONS

The performance of a SiC Schottky diode (Infineon SDP04S60) has been evaluated in a typical 300 W boost PFC application. The diode has been compared to a couple of Si diodes (RURD460 and STTH5R06D). The experimental activity has revealed a positive impact of the SiC diode utilization in terms of achievable efficiency and EMI generation. This has been explained considering the significant reduction of the peak reverse recovery current typical of this type of diode with respect to Si diodes. However, recently introduced Si diodes, as the one considered here, offer a performance level very close to that of the SiC diode, both for the efficiency and the EMI generation, at least for usual switching frequencies (below 100 kHz). It is worth noting, however, that a considerable advantage could be implied by the use of SiC diodes, in case their superior performance in terms of recovery current is exploited to increase the switching frequency, because this could allow a significant increase of the converter power density.

REFERENCES

- [1] I. Zverev, M. Treu, H. Kapels, O. Hellmund, R. Rupp, «SiC Schottky rectifiers: performance, reliability and key application», EPE 2001 Conf. Proc., Graz, August 27th - 29th, 2001.
- [2] M.E. Levinshtein et al., «High voltage SiC diodes with small recovery time», Electronics Letters, 6th July, 2000, vol. 36, no 14, pp. 1241-1242.
- [3] W. Wright et al. «Comparison of Si and SiC diodes during operation in three-phase inverter driving ac induction motor», Electronics Letters, 7th June, 2001, vol. 37, no 12, pp. 787-788.
- [4] F. Philippen, B. Burger, «A New High Voltage Schottky Diode based on Silicon Carbide (SiC)» EPE 2001 Conf. Proc., Graz, August 27th - 29th, 2001.
- [5] M. Coyaud, J. P. Ferrieux, C. Schaeffer et al.: "Performances of SiC Schottky Rectifier in Power Factor Correction", Proc. of the 2001 IAS Annual Meeting., October, 2001, pp. 370-375.
- [6] M. Trivedi, K. Shenai, "Hard- and Soft-Switching Buck Converter Performance of High-Voltage 4H-SiC and Si P-i-N Diodes", Proc. of the 2001 IAS Annual Meeting., October, 2001, pp. 391-395.
- [7] L. Rossetto, S. Buso, G. Spiazzi: "Conducted EMI Issues in a 600-W Single Phase Boost PFC Design", IEEE Transactions on Industry Applications, Vol. 36, No. 2, March/April 2000, pp. 578-585.