

EMBEDDED SYSTEMS PROGRAMMING 2017-18

UI and Android

STANDARD GESTURES (1/2)

UI classes inheriting from `View` allow to set listeners that respond to basic gestures. Listeners are defined by suitable interfaces.

- **`boolean onTouch(View v, MotionEvent event)`**
Part of the [View.OnTouchListener](#) interface.
The user has performed an action qualified as a touch event, including a press, a release, or any movement gesture on the screen (within the bounds of the item).
- **`void onClick(View v)`**
Part of the [View.OnClickListener](#) interface.
The user has touched the item
- **`boolean onLongClick(View v)`**
Part of the [View.OnLongClickListener](#) interface.
The user has touched and holds the item

EXAMPLE

```
public class ExampleActivity extends Activity implements OnTouchListener
{
    protected void onCreate(Bundle savedInstanceState)
    {
    ...
        Button button = (Button) findViewById(R.id.bu);
        button.setOnTouchListener(this);
    }

    // Implement the OnTouchListener callback
    public boolean onTouch(View v, MotionEvent event)
    {
        // do something when the button is clicked

        return true;
    }
    ...
}
```

STANDARD GESTURES (2/2)

- Standard UI widgets respond to standard gestures (e.g., a `ListView` responds to a flick)
- Custom UI widgets can handle touch screen motion events by implementing the **`onTouchEvent (MotionEvent event)`** method; no gesture recognizer is provided

SUPPORTING DIFFERENT SCREENS (1/3)

- Mobile platforms support a variety of devices with different screen sizes and resolutions
- Resolution does not count that much: it is size that matters
 - **Bigger screens** can accommodate more information than smaller screens
 - **Tablet screens** can accommodate more information than other screens

SUPPORTING DIFFERENT SCREENS (2/3)

- Different screen sizes may require different artwork
- Different screen sizes typically require different UIs
 - Use more / resize conventional UI elements
 - Introduce new UI elements that are specifically designed for tablets

SCREENS: ANDROID

- Tens of locales (e.g., `-en-rUS`), device dependent
- Four generalized screen sizes:
small (`-small`), normal (`-normal`), large (`-large`),
extra large (`-xlarge`)
- Two variations of each screen size:
portrait (`-port`), landscape (`-land`)
- Four generalized screen densities:
120 DPI (`-ldpi`), 160 DPI (`-mdpi`), 240 DPI (`-hdpi`),
320 DPI (`-xhdpi`), 480 DPI (`-xxhdpi`), 640 DPI (`-xxxhdpi`)
- Place resources in the appropriate folder: Android will use them

SCREENS: EXAMPLES

- Directory for default layouts: `res/layout`
- Directory for layouts that target large screens and the landscape orientation: `res/layout-large-land`
- Directory for default artwork: `res/drawable`
- Directory for artwork that target US-English devices in landscape orientation: `res/drawable-en-rUS-land`
- For a full list of directories and modifiers, look up the [“App resources overview”](#) page in the Android documentation
- Always provide default resources (i.e., a folder with no modifiers)


TABLETS: ANDROID

- Up to version 2.3 (API level ≤ 10):
no support for tablets
- 3.x versions ($11 \leq$ API level ≤ 13):
run only on tablets
- Version 4.0 and above (API level ≥ 14):
unified support for tablets and other devices

MULTI-PANE LAYOUTS

- From developer.android.com:

The most effective way to create a distinct user experience for tablets and handsets is to [...] design “multi-pane” layouts for tablets and “single-pane” layouts for handsets



SUPPORTING DIFFERENT SCREENS (3/3)

- Implement flexible layouts and provide multiple version of relevant resources
- Design activities using **fragments**
- Use the **action bar**

FRAGMENT CLASS

- Android 3.0+ (API level 11+)
- Represents a portion of user interface
- **Hosted by an activity:** to be precise, it “lives” in a [ViewGroup](#) inside the activity’s view hierarchy, albeit it **defines its own view layout and has its own lifecycle callbacks**
- Each fragment can be manipulated independently from other fragments

HOSTING A FRAGMENT

- **Declarative approach:** add the fragment to the layout file of the hosting activity
- **Programmatic approach:** add the fragment in the source code of the hosting activity; instantiate the UI in the `onCreateView()` method of the fragment

ONCREATEVIEW, ONDESTROYVIEW METHODS

- **View onCreateView(LayoutInflater inflater, ViewGroup container, Bundle savedInstanceState)**
Instantiates the UI for a fragment and attaches it to `container`
- An implementation for `onCreateView()` must be provided by the programmer
- If the UI is defined in an XML file, the system-provided `LayoutInflater` can be used to instantiate (“inflate”) it
- **`void onDestroyView()`**
Destroys a previously-created user interface

FRAGMENTMANAGER: TWO KEY METHODS

- An instance of the FragmentManager class allows interaction with fragments. For instance, it allows to add or remove a fragment (via a **fragment transaction**)
- **Fragment** **findById(int id)**
Returns the fragment which is identified by the given `id` (as specified, e.g., in the XML layout file)
- **FragmentManager.beginTransaction()**
Start editing the Fragments associated with the `FragmentManager`. The transaction is ended by invoking the `commit()` method of `FragmentManager`

HOSTING A FRAGMENT: EXAMPLE (1/2)

- **Declarative approach**

2 fragments declared inside the layout of an activity.
When the activity is created, instances of the classes associated with the fragments are automatically allocated

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="horizontal"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
    <fragment android:name="it.unipd.dei.espl112.email.ListFragment"
        android:id="@+id/list"
        android:layout_weight="1"
        android:layout_width="0dp"
        android:layout_height="match_parent" />
    <fragment android:name="it.unipd.dei.espl112.email.ReaderFragment"
        android:id="@+id/reader"
        android:layout_weight="2"
        android:layout_width="0dp"
        android:layout_height="match_parent" />
</LinearLayout>
```


HOSTING A FRAGMENT: EXAMPLE (2/2)

- **Programmatic approach**

Initiate a fragment transaction, instantiate a fragment, then add it to a suitable `ViewGroup`

```
...  
  
FragmentManager fragmentManager = getFragmentManager()  
FragmentTransaction fragmentTransaction = fragmentManager.beginTransaction();  
  
ExampleFragment fragment = new ListFragment();  
  
fragmentTransaction.add(R.id.fragment_container, fragment);  
fragmentTransaction.commit();  
  
...
```

FRAGMENTS: EXAMPLE (1/4)



Example from [Android Developers](#)

- **DisplayActivity** is started only if the screen is small.
It hosts fragment `DetailsFragment`
- **MainActivity** always manages fragment `TitlesFragment` and, depending on the screen size, hosts `DetailsFragment` as well or starts `DisplayActivity`

FRAGMENTS: EXAMPLE (2/4)

- Layout for MainActivity, big screen
- Resides in `res/layout-large/`
- Both fragments are hosted by MainActivity

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="horizontal"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:id="@+id/frags">
    <!-- "Fragment A" -->
    <fragment class="com.example.android.TitlesFragment"
        android:id="@+id/list_frag"
        android:layout_width="@dimen/titles_size"
        android:layout_height="match_parent"/>
    <!-- "Fragment B" -->
    <fragment class="com.example.android.DetailsFragment"
        android:id="@+id/details_frag"
        android:layout_width="match_parent"
        android:layout_height="match_parent" />
</LinearLayout>
```

FRAGMENTS: EXAMPLE (3/4)

- Layout for MainActivity, small screen
- Resides in res/layout/
- DisplayFragment is hosted by DisplayActivity

```
<?xml version="1.0" encoding="utf-8"?>
<FrameLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
    <!-- "Fragment A" -->
    <fragment class="com.example.android.TitlesFragment"
        android:id="@+id/list_frag"
        android:layout_width="match_parent"
        android:layout_height="match_parent"/>
</FrameLayout>
```

FRAGMENTS: EXAMPLE (4/4)

- Code snippet from the `MainActivity` class

```
public class MainActivity extends Activity implements TitlesFragment.OnItemSelectedListener
{
    ...

    /** TitlesFragment.OnItemSelectedListener is a callback that the list fragment
        ("DetailsFragment") calls when a list item is selected */
    public void onItemSelected(int position)
    {
        DisplayFragment displayFrag = (DisplayFragment) getFragmentManager()
            .findFragmentById(R.id.display_frag);
        if (displayFrag == null)
        {
            // DisplayFragment is not in the layout (handset layout),
            // so start DisplayActivity (Activity B)
            // and pass it the info about the selected item
            Intent intent = new Intent(this, DisplayActivity.class);
            intent.putExtra("position", position);
            startActivity(intent);
        }
        else
        {
            // DisplayFragment is in the layout (big screen layout),
            // so tell the fragment to update
            displayFrag.updateContent(position);
        }
    }
}
```

ACTION BAR



Picture:
[Android Design](#)

UI component that can contain, from left to right,

1. the application icon,
2. the view control (tabs or a spinner),
3. a certain number of action items,
4. the action overflow menu button

May also contain a hint to the navigation drawer



APP BAR

- New name for the action bar in Android 5.0+
- The nav icon, if present can be:
 - an arrow for navigating the app's hierarchy
 - a control to open a navigation drawer



NAVIGATION DRAWER

- Displays the main navigation options for the app
- Appears from the left side of the screen by clicking on the application icon



OVERFLOW MENU

- Groups action items that are not important enough to be prominently displayed in the action bar
- Duplicates the functionality of the option menu + the (hardware) menu button
- In Android 4.0+, developers are strongly encouraged to migrate to the overflow menu





Image from [Android Design](#)

(OLD) SPLIT ACTION BAR

Depending on the screen size, content may be split across multiple action bars:

1. main action bar,
2. top bar,
3. bottom bar



Picture: [Android Design](#)

ADDING THE ACTION BAR

- Beginning with Android 3.0, an action bar is created **by default** for every application that declares a `targetSdkVersion` of 11 or greater in its manifest

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    package= ... >

    <uses-sdk android:minSdkVersion="8"
        android:targetSdkVersion="11" />

        <application
            ...
        </application>


</manifest>
```

ACTION BAR: ADDING ITEMS

- The action bar can be populated in the `onCreateOptionsMenu()` activity method, which is called when the activity starts
- Action items and overflow menu items are managed together as a menu resource.
The `onOptionsItemSelected()` activity method is called whenever an item is selected by the user
- If the action bar is constrained for space, some action items can be moved to the overflow menu


MULTIPLE WINDOWS (1/3)

- Android 7.0+ (API level 24+), any device
- **Split-screen mode: two activities at the same time**




MULTIPLE WINDOWS (2/3)

- Android 7.0+, if supported by device manufacturer
- **Freeform mode: activities inside windows!**



MULTIPLE WINDOWS (3/3)

- Android 8.0+ (API level 26+), any device
- **Picture-in-picture mode:** meant for video; pinned activity in a corner of the screen



SUPPORTING MULTIPLE WINDOWS (1/2)

For apps targeting API level 24+, support is set per-component or per-app via manifest's attributes

- **android:resizeableActivity**
If set to true (default), allows split-screen and freeform modes
- **android:supportsPictureInPicture**
If set to true, and `resizeableActivity=true`, allows picture-in-picture mode
- **android:minHeight, android:minWidth**
Minimum supported height & width for the activity in both split-screen and freeform modes

SUPPORTING MULTIPLE WINDOWS (2/2)

New methods in classes `Activity`, `Fragment`, ...

- **void onMultiWindowModeChanged (boolean `isInMultiWindowMode`, `Configuration newConfig`)**
Called by the system when the component changes from fullscreen mode to multi-window mode and vice versa
- **void onPictureInPictureModeChanged (boolean `isInPiPMode`, `Configuration newConfig`)**
Called by the system when the component changes to/from picture-in-picture mode
- **void enterPictureInPictureMode ()**
Enters picture-in-picture mode

MULTI-WINDOW LIFECYCLE

- The activity lifecycle as a whole remains the same
- **Only one activity is active, the others are paused**
(in PIP mode, a paused activity must play video!)
- **Every resize is a configuration change**
(by default, activity killed and re-created!)
- While activities are sharing the screen, users can drag and drop data from one activity to another

SUPPORT LIBRARY PACKAGE (1/2)

- Provides static libraries that can be added to an Android app in order to use APIs that are not available on older platform versions, or not part of the standard framework
- Each library runs only on devices that provide at least a **minimum API level**
- Must be installed from the SDK Manager (up to rev. 23.2.1), or specified as a dependence in `build.gradle`

```
dependencies {  
    ...  
    compile 'com.android.support:appcompat-v7:25.4.0'  
    ...  
}
```

SUPPORT LIBRARY PACKAGE (2/2)

- **v4 Support Library**
 - Minimum API level: 4 (Android 1.6+)
 - Provides support for fragments and navigation drawers
- **v7 Appcompat Library**
 - Minimum API level: 7 (Android 2.1+)
 - Provides support for action bars
- More libraries [available](#)

SUPPORT LIBRARY: FRAGMENTS

- `android.support.v4.app.Fragment`,
`android.support.v4.app.FragmentActivity` and
`android.support.v4.app.FragmentManager` classes,
to name a few, re-implement fragment support
- Use such classes to write a single piece of code that runs on any
API level ≥ 4
- Host your fragments inside a `FragmentActivity`
- To get the `FragmentManager`, invoke
`getSupportFragmentManager()`

REFERENCES

- **Android** [User Interface & Navigation](#)
- [Screen Compatibility Overview](#)
- [Building a Flexible UI](#) with fragments
- [Multi-Window Support](#)
- [Designing for Seamlessness](#)

LAST MODIFIED: MAY 2, 2018

COPYRIGHT HOLDER: CARLO FANTOZZI (CARLO.FANTOZZI@UNIPD.IT)
LICENSE: CREATIVE COMMONS ATTRIBUTION SHARE-ALIKE 4.0